

alfafonet[®]




Complete Connectivity Solutions



**CNO FIBER
OUTDOOR CABINETS**

**OUTDOOR CABINETS
CNO**

CNO FIBER OUTDOOR CABINET



PRODUCT OVERVIEW

The OFSD Fiber Outdoor Cabinet is designed as a dedicated for outdoor fiber connection and distribution applications. Functional and simple desing gives advantages for subrack installation, cable assembly, cable fixing and management. Wide cable entry diameter range and a alot of entry points makes easily installation and prevent from cable clutter. Also The cabinet provides Rack Unit standart and Subrack assembly gap as 19". Body, Front Door and base supported with profiles for high mechanical strength and The cabinet protected with high-secure special lock.

Features

- › Compact Design
- › IP55 Protection Degree
- › No Need any subrack in the product
- › Directly distribution to Splice
- › Changable Outer Body
- › Easily Access to pigtails
- › Special Parking Adapter for to park output connector of splitter
- › Removable Front Door
- › Easily to detect the optical part with barcode labels
- › Pre-Assembled Delivery
- › Confortable assembly to Concrete

Specifications

- › AISI 304 Outer Parts
- › AISI 430 Inner Parts
- › Durable Outdoor powder coat finish RAL7035
- › Openable Inner Frame as 45°
- › Up to 272 Fibres Capacity
- › Up to 24pcs. Splitter Capacity as 1 by16
- › Loop Cable Option
- › RFID Labels for traceability
- › Compliant to RoHS



801008-W10-24

CNO Fibre Outdoor Cabinet, 19" 24U - with base, body and doors Colour: White- RAL9003 (12pcs. PG21 Plastic Gland, 4pcs. PG29 Plastic Gland, 8pcs. Plastic Spool, 1pcs.High Secure Lock for Front Door)

Scan QR Code
View Brochure*

Ordering Code




CNO FIBER OUTDOOR CABINET

Dimensions





Exploded View



CNO FIBER OUTDOOR CABINET

Key Features



- ✓ **45° Openable Inner Frame with Frame Stopper**




- ✓ **No Need Any Subrack**



- ✓ **Adapter Parking**

Special Parking Adapter for to park output connector of splitter




CNO FIBER OUTDOOR CABINET

Key Features





✓ Splitter Capacity

Up to 24 pcs. Splitter Capacity as 1 by 16



✓ Cable Fixing Parts

Cables can be fixed with cable fixing parts inside the product.



✓ Pigtails Accessibility

Easily access to pigtails cause of openable inner frame.

CNO FIBER OUTDOOR CABINET

Packaging Details

1 CNO Optic Fiber Outdoor Cabinet
Weight ~ 70 kg



Box Size
1135x795x240 mm

1 Pallet includes
5 wrapped with plastic nylon
CNO Optic Fiber Outdoor Cabinet.



Weight : ~ 360 kg



Pallet Height
1280 mm

EU Pallet
1200x800 mm