

OPTIBOX LARGE







H 334 mm W 436 mm

D 103 mm



Color Options
Light Grey (RAL7035)
Black (RAL9005)



Weight

Net 5.2 kg Gross 5.5 kg

PRODUCT OVERVIEW

The Alfafonet's OptiBox Large Fiber Termination Patch/Splice Box is designed for use as a wall mount interconnect point where termination and connectivity of up to 96 fibers is desired. This solution allows easy access to patch cords and pigtails after opening the hinged front doors. Standart boxes are available empty for complete field configuration, half-loaded with adaptor plates for field termination and cable assembly installation, or stubbed with a factory-installed cable assembly of a user specified length.

Specifications

- -Fits comfortably into new and existing interconnect, cross-connect, customer premise, and co-location environments
- Most common connector styles and types available
- -Compatible with industry standard equipment frames
- -Single door with tube-style keyed lock for flexibility and security
- Optional magnetic lock
- Optional splice tray kit for on site conversion to patch and splice panel

Technical Details


- Cold rolled steel
- Durable textured powder coat finish available in black or white
- Easy changeable adaptor plates
- Standard density: up to 48 fiber, High density: up to 96fiber
- Standard cable stub location is bottom
- Optional splice trays for splitters








OPTIBOX LARGE

Dimensions












Exploded View





OPTIBOX LARGE





48 SC Duplex Vertical Adaptor Plate

ݨݨݨݨݨݨݨݨݨݨݨݨݨݨݨݨ	ڽؙڽٛڽؙڽٛڽؙڽٛڽؙڽؙڽ۠

48 LC Duplex or 48 E2000 or 48 SC Simplex Vertical Adaptor Plate

000000	—
000000	000000
000000	000000
000000	000000

48 ST or FC (D-Hole) Adaptor Plate

Order No*	OptiBox Large Adaptor Plate Options
103021.01-CC	48 SC Duplex Vertical Adaptor Plate
103021.02-CC	48 LC Duplex or 48 E2000 Simplex or 48 SC Simplex Vertical Adaptor Plate
103021.03-CC	48 ST or 48 FC (D-hole) Adaptor Plate