

WALL MOUNTS
Unibox





PRODUCT OVERVIEW

The Unibox Small is designed as a dedicated for indoor fiber connection and building distribution applications. Functional and simple design gives advantages for cable assembly, cable fixing and management. Wide cable entry diameter range makes wide range to use for different cables. Also The Unibox Small provides modular structure and with this modularity, cable managing is easy even cables are connected. The Unibox Small has wide range to use with different adapter plates option and compact design.

Features

- ▶Up to 24 fibres
- Available with different adapter plates (sold separately to reduce stock value) for all type of connectors
- ▶ Proper for different cable entry diameter
- ▶ Top and bottom cable entry options
- ▶ Removable Cover
- Light in weight and robust structure
- Removable and movable Adapter Plates

Specifications

- ▶ Cold Rolled Steel Construction
- Durable textured powder coat finish available in Light Grey(RAL7035)
- or in Black (RAL9005)
- Each side has openings with dust-tight strips for in coming and out going cables
- Compliant to RoHS




Scan QR Code View Brochure






Dimensions



Exploded View





Ordering Options



Ordering Guide

	Ordering Option	Color	Splice Cassette	Splice Cassette Quantity	Adapter Type	Structure	Mode	Pigtail	Additional Options
103002	In Ordering Option Article for Adapter Plates	Light Grey LG	Empty 0	Zero 0	Empty 0	Empty 0	Empty 0	Empty 0	Empty 0
		Black BL	ALF-CMPC 1	One 1	LC 1	Simplex 1	Single / PC 1	Inside Plastic Bag 1 Color 1	Screwed Rear to Front 1
			ALF-A 2		SC 2	Duplex 2	Single / APC 2	Inside Plastic Bag 6 Color 2	Screwed Front to Rear 2
			ALF-B 3		ST 3	Quad 3	Multimode / OM1 3	Inside Plastic Bag 12 Color 3	Screwed with Nut 3
			ALF-C 4		FC 4		Multimode / OM2 4	Fully Assembled 1 Color 4	
							Multimode / OM3 5	Fully Assembled 6 Color 5	
							Multimode / OM4 6	Fully Assembled 12 Color 6	
							Multimode / OM5 7		

103002. PC-CC'/ 0000000



Scan QR Code View Brochure 103002-CC*

Unibox Small Fibre Optic Wall Mount Box - With Body, Front Door, (without Adapter plate) Colour: Light Grey-RAL7035, or Black RAL9005, (1 pcs. Dowel Set, 4 pcs. 2,5mmx100 Cable Ties)

*CC= Colour code, PC= Plate code for customers to define while ordering. Brochure contains key features, optional part packing details, standart accessories



		Splice Tray Options
	ALF-CMPC	Dimensions (with Cover): 10 x 91.8 x 155 mm Body Dimensions: 8 x 91.8 x 155 mm Capacity: up to 24
	ALF-A	Dimensions (with cover): 10 x 91.8 x 155 mm Dimensions: 8 x 91.8 x 155 mm Capacity: up to 24
	ALF-B	Dimensions (with cover): 10 x 91.8 x 155 mm Dimensions: 8 x 91.8 x 155 mm Capacity: up to 24
	ALF-C	Dimensions (with cover): 10 x 91.8 x 155 mm Dimensions: 8 x 91.8 x 155 mm Capacity: up to 24
		Adapter Series
	LC Duplex	
	LC Quad	
60	LC Duplex Square	
	SC Simplex	
	SC Duplex	
	ST	
	FC	



Key Features



√ Removable Cover

Cover can be removed and mount easily as snap in type



√ Different Adapter Plate Options

Available with different front plates (sold separately to reduce stock value) for all type of connectors



✓ Dust-tight Sealing Strips

Proper for different cable entry diameter via dust-tight sealing strips





√ Compact Design

Compact and manageable design with splice tray position and modularity



Packaging Details

Standart Accesories (Set)



1 pcs. Dowel Set (Wall fixing set) Tire wrap (2.5x100)mm 4 pcs




275x160x65 mm Box Weight: ~ 1,5 kg



Outer Box 285x340x340 mm

1 Outer Box includes 10 Unibox Small Fibre Optic Wall Mount





1 EUR Pallet includes; 240 Unibox Small Fibre Optic Wall Mount

EUR Pallet Weight: ~375 kg