

DC-209A Fiber Optic Dome Closure

Features

- ✓ May be used for cut, uncut and taut sheath applications
- ✓ May be used for all fiber optic cable
- ✓ Sheath retention & central strength member fasten system included
- ✓ Closure construction and lightweight plastic provides strength and resistance to chemical and U.V attack
- ✓ Installation and re-entry with a minimum of tools
- ✓ All hardware are included
- ✓ Protection class: IP68
- ✓ RoHS compliance



Application

Underground, Aerial, Vault, Pole Mounting and Wall Mounting

Specifications & Ordering Information

Order No	Dimensions(mm) HeightxDiameter	Spliced Fiber Storage Capacity	Cable Ports	Max. Diameter of Cable(mm)	Splice Trays
ALF-DC-209A	300x178	48 splices(4x12 splices)	1 oval port 3 round ports	1 oval port for 1 cable with max 15 mm 3 round ports: each port for 1 cable with max 15 mm	Max. 4 Trays (each tray for 12 splices)

DC-221 Fiber Optic Dome Closure

Features

- ✓ May be used for cut, uncut and taut sheath applications
- ✓ May be used for all fiber optic cable
- ✓ Sheath retention & central strength member fasten system included
- ✓ Ribbed closure construction and lightweight plastic provides strength and resistance to chemical and U.V attack
- ✓ Installation and re-entry with a minimum of tools
- ✓ All hardware are included
- ✓ Closure can be flash tested
- ✓ Protection class: IP68
- ✓ RoHS compliance



Application

Underground, Aerial, Vault, Pole Mounting and Wall Mounting

Specifications & Ordering Information

Order No	Dimensions(mm) HeightxDiameter	Spliced Fiber Storage Capacity	Cable Ports	Max. Diameter of Cable(mm)	Splice Trays
ALF-DC-221A	450x230	96 splices (4x24 splices)	1 oval port	1 oval port for 1 looped cable with max 24 mm	4 X Tray 204A Capacity:24 Splices
ALF-DC-221B		120 splices (single fusion)	4 round ports		5 X Tray 204B Capacity:24 Splices
ALF-DC-221C				4 round ports: each port for 1 cable with max 17.5 mm	5 X Tray 204C Capacity:24 Splices